



SPECIFICATION

www.aimspump.com

AIR COMPRESSORS

MODEL	MAX AIR FLOW		MAX PRESSURE	
	l/min	cfm	kPa	Bar
AC1011	1.5	0.053	300	3.0
AC1014	3.0	0.106	120	1.20
AC1016	4.0	0.141	95	0.95
AC1022	13.0	0.459	60	0.6
AC1024	18.0	0.636	34	0.34
PERFORMANCE ON DC 12V PULSED				
LC1024	8.0	0.283	26	0.26
LC1024-D	8.0	0.283	26	0.26
LC1116	3.25	0.115	80	0.8
LC1116-D	3.25	0.115	80	0.8
LC1124	14.0	0.494	27	0.27
LC1211	1.5	0.053	300	3.0
LC1211-D	1.5	0.053	300	3.0
LC1214	3.0	0.106	95	0.95
LC1224	13.0	0.459	37	0.37
LC1224-D	13.0	0.459	37	0.37

VACUUM PUMPS

MODEL	MAX AIR FLOW		MAX VACUUM	
	l/min	cfm	kPa	mmHg
AP1014	2.4	0.085	-50	-375
AP1016	3.0	0.106	-67	-503
AP1022	6.0	0.212	-60	-450
AP1022-L	6.0	0.212	-50	-375
AP1024	10.0	0.350	-39	-293
PERFORMANCE ON DC 12V PULSED				
LP1024	5.0	0.177	-27	-203
LP1116	3.0	0.106	-80	-600
LP1116-D	3.0	0.106	-80	-600
LP1124	9.0	0.318	-27	-203
LP1214	3.0	0.106	-75	-563
LP1224	12.0	0.424	-34.5	-259

TWIN UNITS

COMPRESSORS MODEL	MAX AIR FLOW		MAX PRESSURE	
	l/min	cfm	kPa	Bar
AC1024-B (SERIES)	12.0	0.424	82	0.82
AC1024-B (PARALLEL)	24.0	0.848	41	0.41
VACUUM PUMP MODEL	MAX AIR FLOW		MAX VACUUM	
	l/min	cfm	kPa	mmHg
AP1024-B (SERIES)	12.0	0.424	-71	-533
AP1024-B (PARALLEL)	24.0	0.848	-35	-263

All the information in this datasheet is supplied in good faith.
This information is given without obligation or liability.